ChemRisk/Shonka Research Associates, Inc., Document Request Form
(This section to be completed by subcontractor requesting document)
T. Camb / 1034 \(\text{Document Center (is requested to provide the following document)} \)
Date of request Expected receipt of document 6/3/96
Document number 5/28-378 Date of document 1956
Title and author (if document is unnumbered)
(This section to be completed by Document Center)
Date request received 5/10/96
Date submitted to ADC
Date submitted to HSA Coordinator
(This section to be completed by HSA Coordinator)
Date submitted to CICO
Date submitted to CICO 5/21/96 5/29/96 6/25/96 Date received from CICO 5/23/96 6/26/96 6/26/96
Date submitted to ChemRisk/Shonka and DOE 6/76/96
This section to be completed by ChemRisk/Shonka Research Associates, Inc.)
Date document received
ignature

K/EM-454

SANITIZED VERSION OF LONG-RANGE PLANT EFFLUENTS (3/19/56)

(SANITIZED VERSION OF SRD DOCUMENT # K/CR-378)

Compiled by S. G. Thornton **Environmental Management Division** OAK RIDGE K-25 SITE for the Health Studies Agreement

May 28, 1996

Oak Ridge K-25 Site Oak Ridge, Tennessee 37831-7314 managed by LOCKHEED MARTIN ENERGY SYSTEMS, INC. for the U.S. DEPARTMENT OF ENERGY under Contract DE-AC05-84OR21400

This document has been approved for release

Technical Information Officer Oak Ridge K-25 Site





E-9 (9)

UNION CARBIDE NUCLEAR COMPANY

A Divison of Union Carbide and Carbon Corporation

Mr. K. W. Bahler

Dr. H. F. Henry

opies To:

Plant:

ORGDP

Date:

March 19, 1956

Subject:

Long-Range Plant Effluents

Attached are data furnished by a committee engaged in extension of the work described in the

Carbide and AEC were invited to postulate on the origin of the material measured. It is not anticipated that ORGDP will supply any written material unless subsequently requested to do so by AEC.


WIR:mrh

Attachment

Memo of Meeting held 3/14, prepared by Henry

No RC





itle 18





E 9(9)

CONFIDENTIAL

MEMO TO FILES

SUBJECT: Meeting on Long-Range Flant Effluents

PRESENT: K-25 - H. F. Henry, D. M. Lang, W. L. Richardson, F. R. Vanstrum

AEC - Walter Koester, H. J. McAlduff

Argonne National Laboratory - Martin H. Studier Knolls Atomic Fower Laboratory - Henry W. Alter

Data concerning Oak Ridge Area Effluents

1. Pine needles taken from trees in the open.

Distance	U-234(%U)	U-235(%U)	U-236(%U)	Total U
<u>(miles)</u>	Ash	Ash Leach*	Ash	$\mu g/(10-20)$ gm. needles

a. NE(toward Kingsport)

- b. West
- c. Normal Uranium
- * Needles leached prior to ashing.
- 2. Water


Location	<u>U-234(%U)</u>	<u>U-235(%U)</u>	<u>u-236(%u)</u>	Mg U/ml.
Poplar Creek 1500 ft. NE K-25	0.0117	1.87	0.0158	0.11




"This material on the information affective on ational discussions are used to the meaning of the spicing way. Title U.S.C., South and the spicing of the sp

3. Scintillation counters used - background set at 0.01 - 0.001 mr./hr.

a. Directly over one branch of K-25 "U". (Drawing not to any scale.)



b. Directly over other branch of K-25 "U"




H. F. Henry
Safety, Fire, and Radiation Control

HFH:mh 3-14-56

Meeting Date 3-14-56

ec: Kicharden - 2





8.

UNION CARBIDE NUCLEAR COMPANY

A Divison of Union Carbide and Carbon Corporation

To:

Copies To:

Mr. W. Y. Gissel

Mr. L. B. Emlet

Mr. W. L. Richardson

ORNL

Plant:

Oak Ridge Gaseous Diffusion

Date:

March 23, 1956

Subject:

Inspection Project,

KC-355

With respect to the information requested in Mr. Sapirie's letter of March 15, 1956, to Mr. Center on the above subject, there were no known abnormal activities, including those of a type which would be likely to cause significant changes in the usual gamma radiation pattern, at the Oak Ridge Gaseous Diffusion Plant on any of the dates listed.

As is apparent, the cascade inventory of uranium and its daughter products does provide a gamma radiation source. At the low U-235 enrichment part of the cascade (K-33, K-31, etc.), the gamma radiation is predominantly that due to the high energy gammas of the UX2 daughter of U-238; as the U-235 enrichment increases, the low energy gammas of the U-235 become increasingly important until the radiation at the highest enrichment sections of the cascade (K-306, K-305, etc.) is almost entirely due to this isotope. During the entire period in question, a large quantity of uranium of low U-235 enrichment was stored in K-311-1; in product addition, comparatively large quantities of material were kept in the K-312 section.

In addition to the cascade, there are normally significant inventories of uranium of low U-235 enrichment in the K-1131, K-1110, K-1113, and K-131 buildings with smaller quantities of material of various enrichments in the K-1h20 and K-1h01 buildings; there is also a relatively large shielded radium source in Laboratory K-100h-B.

We would be interested in knowing the results obtained during these tests as related to the instruments used in order that we might attempt their correlation with our own data.

∨ HFH:lja


NoK25RC

CONFIDENTIAL

This form for Inter-Company Correspondence on


WCX-163 (8-55)

muten NATIONAL Unauthorized Disclor wate assay of feel, prod., Tail 7. Vantrum 8.



-3 ,				
			•	
DML - Fantori me	Manade.	in seed (2)	and here rall	Pad.
DML - Fanford me mai - Fubri quan Water 234	Lev. 1	romo 1/- 12	Starle.	
Water. 234	1 735	236	ugilful.	
Poplar Creek 011.				
1500 NE 15-25				
- common of the	egy to Congréga e manor esta a sis			
1 west - , 13	for 36	,		
\$				-
				4 · ·
				en e
	TIMOL LOOK	5 ;		
Clearification changed to	(Incl. ASSI)	ZIEN		
ADD FOR DE SECULIAR	Alley 12/11/9			The second secon
ADD Say Floury to 17	Deto	<u> </u>	Bailing	ED DATA_
V	¥, -		19 A	in Registration of the state of
			- CHORENIA DE	Commit Sanctions
	· · · · · · · · · · · · · · · · · · ·		make to the second seco	
			OFF	





DISTRIBUTION

- 1. K-25 Site Records (RC)
- 2. ChemRisk/Shonka Research Associates
- 3. S. G. Thornton (K-25 EMD)
- 4. DOE Public Reading Room